

PLS'd Item	Discontinued Items Description	Discontinued Date
Q1508TC8CM	BAC, 150A, 8', .035, MIL MODEL Q	8/31/2022
Q1510AA8AM	BAC, 150A, 10', .023, MIL MODEL Q	8/31/2022
Q1510AB5CS	BAC, 150A, 10', .035, TWECO®E MODEL Q	8/31/2022
Q1510AB7CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510AB8AL	BAC, 150A, 10', .023, LINCOLN® MODEL Q	8/31/2022
Q1510AB8AM	BAC, 150A, 10', .023, MIL MODEL Q	8/31/2022
Q1510AB8BM	BAC, 150A, 10', .030, MIL MODEL Q	8/31/2022
Q1510AB8CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510AB8CS	BAC, 150A, 10', .035, TWECO®E MODEL Q	8/31/2022
Q1510AB8CT	BAC, 150A, 10', .035, TWECO®E MODEL Q	8/31/2022
Q1510AB8EM	BAC, 150A, 10', .045, MIL MODEL Q	8/31/2022
Q1510AC8EM	BAC, 150A, 10', .045, MIL MODEL Q	8/31/2022
Q1510AE8BS	BASE MODEL, BERNARD® CFG	8/31/2022
Q1510AE8CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510AE8CT	BAC, 150A, 10', .035, TWECO®E MODEL Q	8/31/2022
Q1510AE8EM	BAC, 150A, 10', .045, MIL MODEL Q	8/31/2022
Q1510AF8CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510AO7CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510AO8CE	BAC, 150A, 10', .035, EUR MODEL Q	8/31/2022
Q1510TA8CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1510TB5BL	BAC, 150A, 10', .030, LINCOLN® MODEL Q	8/31/2022
Q1510TB8BT	BAC, 150A, 10', .030, TWECO®E MODEL Q	8/31/2022
Q1510TB8CM	BAC, 150A, 10', .035, MIL MODEL Q	8/31/2022
Q1512AB5CS	BAC, 150A, 12', .035, TWECO®E MODEL Q	8/31/2022
Q1512AB7CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512AB7CS	Q150AMP,12',035,TWECO®EC MODEL Q	8/31/2022
Q1512AB8BM	BAC, 150A, 12', .030, MIL MODEL Q	8/31/2022
Q1512AB8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512AB8CR	BAC, 150A, 12', .035, TWECO®E MODEL Q	8/31/2022
Q1512AB8CS	BAC, 150A, 12', .035, TWECO®E MODEL Q	8/31/2022
Q1512AB8CT	BAC, 150A, 12', .035, TWECO®E MODEL Q	8/31/2022
Q1512AC8BM	BAC, 150A, 12', .030, MIL MODEL Q	8/31/2022
Q1512AE8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512AE8EM	BAC, 150A, 12', .045, MIL MODEL Q	8/31/2022
Q1512AF8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512AO7CB	BAC, 150A, 12', .035, BER MODEL Q	8/31/2022
Q1512AO8BM	BAC, 150A, 12', .030, MIL MODEL Q	8/31/2022
Q1512TB8BM	BAC, 150A, 12', .030, MIL MODEL Q	8/31/2022
Q1512TB8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512TE8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512TF8CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512TO5CM	BAC, 150A, 12', .035, MIL MODEL Q	8/31/2022
Q1512TO5CR	BASE MODEL, BERNARD® CFG	8/31/2022
Q1515AA8BM	BAC, 150A, 15', .030, MIL MODEL Q	8/31/2022
Q1515AA8CM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AB1CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AB5EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AB7CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AB8AM	BAC, 150A, 15', .023, MIL MODEL Q	8/31/2022
Q1515AB8BM	BAC, 150A, 15', .030, MIL MODEL Q	8/31/2022
Q1515AB8BT	BAC, 150A, 15', .030, TWECO®E MODEL Q	8/31/2022
Q1515AB8CL	BAC, 150A, 15', .035, LINCOLN® MODEL Q	8/31/2022
Q1515AB8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022

Q1515AB8CR	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515AB8CS	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515AB8CT	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515AB8EL	BAC, 150A, 15', .045, LINCOLN® MODEL Q	8/31/2022
Q1515AB8EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AC5CM	BASE MODEL, BERNARD® CFG	8/31/2022
Q1515AC8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AC8EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AE7EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AE8BM	BAC, 150A, 15', .030, MIL MODEL Q	8/31/2022
Q1515AE8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AE8CS	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515AE8EL	BAC, 150A, 15', .045, LINCOLN® MODEL Q	8/31/2022
Q1515AE8EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AF8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AF8CT	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515AI8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AK8EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515AN8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AO8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515AP8CB	BAC, 150A, 15', .035, BER MODEL Q	8/31/2022
Q1515AR8ES	BAC, 150A, 15', .045, TWECO®E MODEL Q	8/31/2022
Q1515TB8BM	BAC, 150A, 15', .030, MIL MODEL Q	8/31/2022
Q1515TB8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515TB8CS	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515TB8EM	BAC, 150A, 15', .045, MIL MODEL Q	8/31/2022
Q1515TB8ES	BAC, 150A, 15', .045, TWECO®E	8/31/2022
Q1515TC8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515TD8EL	BAC, 150A, 15', .045, LINCOLN® MODEL Q	8/31/2022
Q1515TE5CT	BAC, 150A, 15', .035, TWECO®E MODEL Q	8/31/2022
Q1515TE8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515TF8CM	BAC, 150A, 15', .035, MIL MODEL Q	8/31/2022
Q1515TO8ES	BAC, 150A, 15', .045, TWECO®E	8/31/2022
Q1520AB5EM	BAC, 150A, 20', .045, MIL MODEL Q	8/31/2022
Q1520AB8CM	BAC, 150A, 20', .035, MIL MODEL Q	8/31/2022
Q1520AB8EM	BAC, 150A, 20', .045, MIL MODEL Q	8/31/2022
Q1520AB8ET	BAC, 150A, 20', .045, TWECO®E MODEL Q	8/31/2022
Q1520AE8EM	BASE MODEL, BERNARD® CFG	8/31/2022
Q1520TF8CM	BAC, 150A, 20', .035, MIL MODEL Q	8/31/2022
Q1525AB8BM	BAC, 150A, 25', .030, MIL MODEL Q	8/31/2022
Q1525AB8CM	BAC, 150A, 25', .035, MIL MODEL Q	8/31/2022
Q1525AE8CM	BAC, 150A, 25', .035, MIL MODEL Q	8/31/2022
451	STD HEAD,FITS H,F,J	9/29/2023
1588	CONTACT TIP, .030	9/29/2023
1592	CONTACT TIP, 5/64	9/29/2023
1593	TIP, CONTACT 3/32-2.4MM	9/29/2023
1596	TIP, CONTACT .039-1.0MM	9/29/2023
3414	CENTERFIRE, NOZZLE CONE 3/4" ORIFICE, 1/4" RECESS	9/29/2023
4281	TIP,.035"(.9MM)PIPELINCOLN®E TAPERED TIP	9/29/2023
4282	TIP,.045"(1.2MM)PIPELINCOLN®E TAPERED TIP	9/29/2023
4283	TIP,.052"(1.3MM)PIPELINCOLN®E TAPERED TIP	9/29/2023
4295	NOZZLE/INS AY,BRASS,300,TPR	9/29/2023
4593	NOZZLE, TAPER, COPPER	9/29/2023
7392	HEAD AY,R4 &EZG GUNS	9/29/2023
7488	TIP, CONTACT .030-0.8MM	9/29/2023

7492	TIP, CONTACT 5/64-2.0MM	9/29/2023
7493	TIP, CONTACT 3/32-2.4MM	9/29/2023
7495	TIP, ELECTRODE 1/8-3.2MM	9/29/2023
7496	TIP, CONTACT .039-1.0MM	9/29/2023
7497	TIP, CONTACT .023-0.6MM	9/29/2023
10502	TIP .045 5/16 OD 2.875 L	9/29/2023
1760006	200A GUN ASY, 20'	9/29/2023
1760007	400A GUN ASY, 20'	9/29/2023
10012-2	NOZZLE INSULATOR, BERNARD®	9/29/2023
151-1-38	NOZZLE 3/8" BORE 1/8" REC (10)	9/29/2023
151-50	NOZZLE 1/2" BORE FLUSH (1 0)	9/29/2023
1770021A	250A S-GUN™ WITH ROTATABLE LOCKING NECK	9/29/2023
1770021B	250A, S-GUN™ WITH ROTATABLE LOCKING NECK	9/29/2023
313-10	300 AMP STRAIGHT GUN CHASSIS (10 FT)	9/29/2023
313-12	300 AMP STRAIGHT GU	9/29/2023
313-15	300 AMP STRAIGHT GU	9/29/2023
313-20	300 AMP STRAIGHT GU	9/29/2023
313-25	300 AMP STRAIGHT GUN CHASSIS (25 FT)	9/29/2023
321-15	300 AMP STRAIGHT COMPACT GUN CHASSIS (15')	9/29/2023
321-20	300 AMP STRAIGHT COMPACT GUN CHASSIS (20')	9/29/2023
321-25	300 AMP STRAIGHT COMPACT GUN CHASSIS (25')	9/29/2023
36-50	NOZZLE FRT-END, HIGH TEMP	9/29/2023
36-50B	NOZZLE FRT-END, HIGH TEMP	9/29/2023
401-41-38	3/8 EXTENDED NOZZLE (SP15 )	9/29/2023
401-42-50-02	NOZZLE 1/2" BORE 1/8" REC (2)	9/29/2023
401-4-50-02	NOZZLE 1/2" BORE 1/8" REC (2)	9/29/2023
401-4-62-02	NOZZLE 5/8" BORE 1/8" REC (2)	9/29/2023
401-4-75	NOZZLE 3/4" BORE 1/8" REC (10)	9/29/2023
401-47-51	NOZZLEZLE 1/2" BR 1/8" REC (10 )	9/29/2023
401-6-62-02	NOZZLE 5/8" BORE 1/8" REC (2)	9/29/2023
401-8-62BRT	NOZZLE 5/8" BR 1/8" SKT ( 10)	9/29/2023
401-91-62	BR NOZZLEZLE 5/8"BR 1/8"ST (10 )	9/29/2023
403-12-52-25	STD TAPERED .052"/1"	9/29/2023
403-14-1.0	CONTACT TIP, 1.0MM	9/29/2023
403-14-1.0-25	CONTACT TIP, 1.0MM	9/29/2023
403-14-23-05	"CONTACT TIP, .023"/0"	9/29/2023
403-14-30-05	"CONTACT TIP, .030"/0"	9/29/2023
403-14-35-05	CONTACT TIP, TL SD, .035", 5 PACK	9/29/2023
403-14-45-05	CONTACT TIP, TL SD, .045, 5 PACK	9/29/2023
403-20-1.0-05	CONTACT TIP, 1.0MM	9/29/2023
403-20-116-05	CONTACT TIP, TL HD, 1/16", 5 PACK	9/29/2023
403-20-30-05	"CONTACT TIP, .030"/0"	9/29/2023
403-20-332-05	CONTACT TIP, TL HD, 3/32", 5 PACK	9/29/2023
403-20-332-1000	CONTACT TIP, 3/32"/2.4MM ( 1000)	9/29/2023
403-20-35-05	CONTACT TIP, TL HD, .035, 5 PACK	9/29/2023
403-20-45-05	CONTACT TIP, TL HD, .045", 5 PACK	9/29/2023
403-20-52-05	CONTACT TIP, TL HD, .052", 5 PACK	9/29/2023
403-20-564-1000	CONTACT TIP, 5/64"/2.0MM (1000)	9/29/2023
403-21-1.0-25	CONTACT TIP, 1.0MM	9/29/2023
403-21-52-25	CONTACT TIP, .052"	9/29/2023
403-27-364-25	CONTACT TIP, CR ZR 3	9/29/2023
403-35-25	CONTACT TIP, .035"	9/29/2023
403-45-25	CONTACT TIP, .045"	9/29/2023
404-15-25	GAS DIFFUSER	9/29/2023
404-23-25	RETAINING HEAD TOUGH LOCK®	9/29/2023

404-45	GAS DIFFUSER, TOUGH LOCK®, EXTENDED REACH	9/29/2023
404-46-25	RETAINING HEAD, BINZEL® A4	9/29/2023
404-51-25	THREAD ON RETAINING HEAD (25)	9/29/2023
404-61-25	RETAINING HEAD TOUGH LOCK®	9/29/2023
404-62	TIP HOLDER	9/29/2023
404-63	RETAINING HEAD TWECO® NECKS M12 X 1.5 THREAD	9/29/2023
404-69	RETAINING HEAD ADAPTOR F/TWECO® M11 X1.5 THREAD	9/29/2023
404-72	DIFFUSER, FRONIUS® CONV.	9/29/2023
413-10	400 AMP STRAIGHT GU	9/29/2023
413-15	400 AMP STRAIGHT GU	9/29/2023
413-20	400 AMP STRAIGHT GU	9/29/2023
413-25	400 AMP STRAIGHT GU	9/29/2023
415-116-10-25	LINCOLN®ER, CONVENTIONAL, .045-1/16, 10 FT	9/29/2023
415-116-15-25	LINCOLN®ER, CONVENTIONAL, .045-1/16, 15 FT	9/29/2023
415-116-6-25	LINCOLN®ER, CONVENTIONAL, .045-1/16, 6 FT	9/29/2023
415-332-15-25	LINCOLN®ER, CONVENTIONAL, 3/32, 15 FT	9/29/2023
415-35-05	LINCOLN®ER 6FT .035"- .045" (1)	9/29/2023
415-35-10-25	LINCOLN®ER, CONVENTIONAL, .035-.045, 10 FT	9/29/2023
415-35-15-25	LINCOLN®ER, CONVENTIONAL, .035-.045, 15 FT	9/29/2023
415-35-156-25	LINCOLN®ER, CONVENTIONAL, .035, 15 FT	9/29/2023
415-35-25-25	LINCOLN®ER, CONVENTIONAL, .035-.045, 25 FT	9/29/2023
415-35-6-25	LINCOLN®ER, CONVENTIONAL, .035-.045, 6 FT	9/29/2023
415-564-15-25	LINCOLN®ER, CONVENTIONAL, 1/16-5/64, 15 FT	9/29/2023
4281S	TAPER TIP,035-SPECIAL-LG	9/29/2023
43015X	LINCOLN®ER, 2/300A ALUM .023-.030 15 FT	9/29/2023
43115-1	LINER, .035-.045, 15', BERNARD®	9/29/2023
4323R-2	NOZZLE INSULATOR, BERNARD®	9/29/2023
4382A	CONTACT TIP,.045"(1.2MM)PIPELINCOLN®E-300 AMP GUN	9/29/2023
4395A	NOZZLE/INS AY,BRASS,300,PPL	9/29/2023
44115T	LINER 400A .035-.045 15' TWECO®	9/29/2023
44215-1	LINER,.045-1/16",15', BERNARD®	9/29/2023
44215T	LINER 2/3/400A .045-.062 15	9/29/2023
4423R-2	NOZZLE INSULATOR, BERNARD®	9/29/2023
454-1-2-25	RETAINING RING (25)	9/29/2023
513-10	500 AMP STRAIGHT GUN CHASSIS	9/29/2023
513-15	500 AMP STRAIGHT GU	9/29/2023
513-20	500 AMP STRAIGHT GU	9/29/2023
513-25	500 AMP STRAIGHT GU	9/29/2023
613-10	600 AMP STRAIGHT GUN CHASSIS (10 FT)	9/29/2023
613-15	600 AMP STRAIGHT GUN CHASSIS (15 FT)	9/29/2023
613-25	600 AMP STRAIGHT GU	9/29/2023
6240-02SBJ	TORCH ASSEMBLY (1)	9/29/2023
6243B	NOZZLE CONE 5/8 BORE TPRD	9/29/2023
6528E	TIP CONTACT .045	9/29/2023
APX3010-0232	APX30, 10', MILLER®, WESCO	9/29/2023
BD-1	DIFFUSER, LARGE, BE	9/29/2023
BTO4307	BAC,400A,15',1/16,NO PIN	9/29/2023
BTO5026	BAC,400A, 15',1/16,TWECO®E MODEL Q4	9/29/2023
BTO5040	BAC,300A,15',.045,MIL MODEL Q3	9/29/2023
BTO5861-A1	BAC,300A,15',.045,MIL MODEL Q3	9/29/2023
BTO5907-A1	BAC,300A,15',.035,TWECO®E MODEL Q3	9/29/2023
BTO5965-A1	A/C SEMI 450A 15FT .045	9/29/2023
BTO5994-A2	BAC,400A,15',.045,T	9/29/2023
BTO6003-A2	BAC,300A,15',.052",MIL MODEL S3	9/29/2023
BTO6006-A3	BAC,500A,15',1/16,TWECO®E	9/29/2023

BTO6015-A1	CL,500A,15',.052,TWECO®E	9/29/2023
BTO6015-A2	CL,500A,15',.052,MIL	9/29/2023
BTO6017	SPCL,400A,18',1/16,MIL	9/29/2023
BTO6019-A3	BAC,400A,15',.035,MIL	9/29/2023
BTO6019-A4	BAC,400A,20',.035,MIL	9/29/2023
BTO6062-A1	BAC,300A,15',.045,TWECO®E MODEL Q3	9/29/2023
BTO6062-A2	BAC,300A,25',.045,TWECO®E MODEL Q3	9/29/2023
BTO6065-A1	FLX, 350A, 12', MIL	9/29/2023
BTO6070-A2	BAC,300A,15',5/64,MIL FLUX CORE Q3	9/29/2023
BTO6072-A3	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6076-A1	TGX® MIG GUN 180A 15' (1)	9/29/2023
BTO6076-A2	BAC. 200A,10',3/64,EURO MODEL Q2	9/29/2023
BTO6079-A1	BAC,400A,20',.035,MIL MODEL Q4	9/29/2023
BTO6081-A1	BAC,300A,08',.035,MIL MODEL Q3	9/29/2023
BTO6081-A2	BAC,300A,8',.045,MIL MODEL Q3	9/29/2023
BTO6081-A3	BAC,300A,8',.045,MIL MODEL Q3	9/29/2023
BTO6081-A5	BAC,300A,08',.045,MIL MODEL Q3	9/29/2023
BTO6081-A6	BAC,300A,08',.045,MIL MODEL Q3	9/29/2023
BTO6081-A9	BAC,300A,12',.045,MIL MODEL Q3	9/29/2023
BTO6083-A10	BAC,600A,10',3/32,MIL MODEL Q6	9/29/2023
BTO6083-A2	BAC,600A,12',3/32,MIL MODEL Q6	9/29/2023
BTO6083-A3	BAC, 600A, 15',3/32,MIL MODEL Q6	9/29/2023
BTO6083-A7	BAC,300A,25',1/16,MIL MODEL Q3	9/29/2023
BTO6083-A8	BAC,600A,25',3/32,MIL MODEL Q6	9/29/2023
BTO6083-A9	BAC,600A,15',3/32,MIL MODEL Q6	9/29/2023
BTO6094-A1	1101QD NOZZLE FOR W60/	9/29/2023
BTO6098-A1	CL,300A,15',.035",TWECO® 4 MODEL CL	9/29/2023
BTO6103-A1	BAC,200A,15',.035,MIL MODEL Q2	9/29/2023
BTO6106-A1	BAC,200A,15',.035,MIL MODEL Q2	9/29/2023
BTO6106-A3	BAC,200A,20',.035,MIL MODEL Q2	9/29/2023
BTO6108-A2	200A,15',.035,MIL	9/29/2023
BTO6108-A3	BAC,300A,15',.035,MIL	9/29/2023
BTO6110-A1	BAC,600A,15',3/32,MIL MODEL Q6	9/29/2023
BTO6120-A5	BAC,200A,15',.035,MIL MODEL Q2	9/29/2023
BTO6121-A1	BAC,400A,25',1/16",MIL MODEL S4	9/29/2023
BTO6121-A2	BAC,400A,15',1/16",MIL MODEL S4	9/29/2023
BTO6121-A3	BAC,400A,25',1/16",MIL MODEL S4	9/29/2023
BTO6121-A4	BAC,400A,15',1/16",MIL MODEL S4	9/29/2023
BTO6127-A1	CL,300A,10',.035,MIL MODEL CL	9/29/2023
BTO6141-A1	BC,300A,25',.039,MIL MODEL S3	9/29/2023
BTO6143-A1	BAC,500A,20',.045,MIL MODEL Q5	9/29/2023
BTO6150-A2	BAC,300A,15',.052,TWECO®E4	9/29/2023
BTO6162-A1	CL 3' SALES DEMO MODEL CL	9/29/2023
BTO6162-A2	CL SALES DEMO 3' MODEL CL	9/29/2023
BTO6167-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6168-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6169-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6170-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6171-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6172-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6173-A1	BAC,400A,20',.045,MIL MODEL Q4	9/29/2023
BTO6174-A1	BAC,400A,25',.045,MIL	9/29/2023
BTO6175-A1	BAC,400A,25',.045,MIL	9/29/2023
BTO6176-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6177-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023

BTO6178-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6179-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6180-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6181-A1	BAC,400A,25',.045,MIL MODEL Q4	9/29/2023
BTO6184-A1	BAC,400A,15',.052,MIL	9/29/2023
BTO6184-A2	BAC,400A,25',.052,MIL	9/29/2023
BTO6185-A1	BAC,400A,20',.045,MIL	9/29/2023
BTO6185-A2	BAC,400A,25',.045,MIL	9/29/2023
BTO6185-A3	BAC,400A,20',.045,TWECO®E4	9/29/2023
BTO6185-A4	BAC,400A,25',.045,TWECO®E4	9/29/2023
BTO6190-A1	BAC,600A,8',1/8,MIL	9/29/2023
BTO6191-A1	TGX® MIG GUN 260A 20'	9/29/2023
BTO6191-A2	TGX® MIG GUN 260A 25'	9/29/2023
BTO6198-A2	BAC,300A,15',1/16,MIL	9/29/2023
BTO6198-A4	BAC,300A,25',.052,MIL	9/29/2023
BTO6213-A1	BAC,600A,15',.052,MIL	9/29/2023
BTO6216-A1	BAC,400A,25',1/16,MIL	9/29/2023
BTO6216-A2	BAC,400A,15',1/16,MIL	9/29/2023
BTO6216-A3	BAC,400A,25',1/16,MIL	9/29/2023
BTO6216-A4	BAC,400A,15',1/16,MIL	9/29/2023
BTO6218-A1	BAC,300A,15',.045,TWECO®E	9/29/2023
BTO6219-A1	TORCH A/C HAND 400A 15'	9/29/2023
BTO6221-A1	BAC,300A,15',.0145,TWECO®E4	9/29/2023
BTO6223-A1	BTO,CL,400A,15',.04	9/29/2023
BTO6223-A2	BTO,CL,400A,15',.04	9/29/2023
BTO6236	BTO,300A,15',5/64,MIL	9/29/2023
BTO6238-A5	BTO,400A,15',.045,C	9/29/2023
BTO6238-A6	BTO,400A,25',.045,CENTERFIRE®	9/29/2023
D114	DIFFUSER, QUIK TIP® 1/4 RECESS	9/29/2023
D114QLL	DIFFUSER,QUIK TIP®,LINCOLN®/TWECO®E/TRE 1/4 RECESS	9/29/2023
D118MQ	DIFFUSER,SERIES 1,MILLER®,QUIK TIP®	9/29/2023
D118QLL	DIFFUSER, QUIK TIP® THREAD LINCOLN®-TWECO®	9/29/2023
D1F	DIFFUSER QUIK TIP® FLUSH	9/29/2023
FLX3515OSM-1	BERNARD® DURA-FLUX 350 AMP, 15FT 5/64 OS MILLER®	9/29/2023
N1B34HQ	NOZZLE ASSEMBLY 3/4" BRASS SCREW ON	9/29/2023
N1C34	NOZZLE SELF INSULATED SLIP	9/29/2023
N2C12	NOZZLE ASSEMBLY, 1/2" ORIFICE SLIP ON, COPPER	9/29/2023
N-5814C-1	NOZZLE, 5/8"ID, 1/4" RECESS COPPER, BERNARD®	9/29/2023
N-5818B-1	NOZZLE, 5/8" ID, 1/8"RECESS BRASS, BERNARD®	9/29/2023
NS-1218B-1	NOZZLE, 1/2" ID, 1/8"RECESS BRASS, BERNARD®	9/29/2023
NS-5818C-1	NOZZLE, 5/8"ID, 1/8" RECESS COPPER, BERNARD®	9/29/2023
NST-3818B-1	NOZZLE,TAPERED, 3/8"ID, 1/8" RECESS, BRASS, BERNARD®	9/29/2023
Q3025CAT13	300 AMP GUN ASSEMBLY, OXO™ QC,	9/29/2023
Q4015AE4EMAEX	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4015AE4ETAEX	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),TWECO® 4,Conv	9/29/2023
Q4015AE4ITAEX	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4015CAT12	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4015CAT13	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4015CATLR	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4015CATSE	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),MILLER®,Conv	9/29/2023
Q4020CAT12	400 AMP GUN ASSEMBLY,20FT OXO™ QC, AURORA	9/29/2023
Q4020CAT13	400 AMP GUN ASSEMBLY,20FT OXO™ Q	9/29/2023
Q4020CATSE	400 AMP GUN ASSEMBLY, 20 FT OXO™ QC	9/29/2023
Q4025CATSE	400 AMP GUN ASSEMBLY, 25 FT OXO™ QC	9/29/2023
Q4J15CAT16	400 AMP GUN ASSEMBLY, 15 FT OXO™ QC	9/29/2023

Q5015CAT12	500 AMP GUN ASSEMBLY,15FT OXO™ QC	9/29/2023
Q5015CAT13	500 AMP GUN ASSEMBLY,15FT OXO™ QC	9/29/2023
Q5015CATLR	500 AMP GUN ASSEMBLY, 15 FT OXO™ QC	9/29/2023
Q5020CAT12	500 AMP GUN ASSEMBLY,20FT OXO™ QC	9/29/2023
Q5020CATLR	500 AMP GUN ASSEMBLY, 20 FT OXO™ QC	9/29/2023
Q6015CAT12	600A GUN, OXO™ QC	9/29/2023
QJL-116-XL	JUMP LINER ASSEMBLY, .045	9/29/2023
QJL-2330	LINER 2/350/500A .023-.030	9/29/2023
QJL-2330-XL	JUMP LINER ASSEMBLY, .023	9/29/2023
QJL-3545-XL	JUMP LINER ASSEMBLY, .035	9/29/2023
QJLH-116	JUMP LINCOLN®ER ASSEMBLY,.045-062	9/29/2023
QJLN-116	LINER 3/64-1/16, ASSEMBLY	9/29/2023
QJLN-364	LINER .035-.045, ASSEMBLY	9/29/2023
S2510TE5EL	250A, S-GUN™ WITH ROTATABLE LOCKING NECK LINCOLN® DP	9/29/2023
S2510TE5EM	250A, S-GUN™ WITH ROTATABLE LOCKING NECK MILLER®	9/29/2023
S2510TE5ET	250A, S-GUN™ WITH ROTATABLE LOCKING NECK TWECO® 4 DP	9/29/2023
S2510TF5EL	250A, S-GUN™ WITH ROTATABLE LOCKING NECK, LINCOLN® DP	9/29/2023
S2510TF5EM	250A, S-GUN™ WITH ROTATABLE LOCKING NECK MILLER®	9/29/2023
S2510TF5ET	250A, 'S GUN WITH ROTATABLE LOCKING NECK, TWECO® 4 DP	9/29/2023
S2515TE4EMA	250A, S-GUN™ WITH ROTATABLE LOCKING NECK,MILLER® DP	9/29/2023
S2515TE5EL	250A,S-GUN™ WITH ROTATABLE LOCKING NECK LINCOLN® DP	9/29/2023
S2515TE5ET	250A, S-GUN™ WITH ROTATABLE LOCKING NECK TWECO® 4 DP	9/29/2023
S2515TF5EL	250A,S-GUN™ WITH ROTATABLE LOCKING NECK, LINCOLN® DP	9/29/2023
S2515TF5EM	250A S-GUN™ WITH ROTATABLE LOCKING NECK, MILLER® DP	9/29/2023
S2515TF5ET	250A, S-GUN™ WITH ROTATABLE LOCKING NECK TWECO® 4 DP	9/29/2023
S2520TE5EL	250A,S-GUN™ WITH ROTATABLE LOCKING NECK, LINCOLN® DP	9/29/2023
S2520TE5EM	250A, S-GUN™ WITH ROTATABLE LOCKING NECK, MILLER®	9/29/2023
S2520TE5ET	250A, S-GUN™ WITH ROTATABLE LOCKING NECK, TWECO® 4DP	9/29/2023
S2520TF5EL	250A,S-GUN™ WITH ROTATABLE LOCKING NECK, LINCOLN® DP	9/29/2023
S2520TF5EM	250A S-GUN™ WITH ROTATABLE LOCKING NECK, MILLER®	9/29/2023
S2520TF5ET	250A, S-GUN™ WITH ROTATABLE LOCKING NECK, TWECO® 4DP	9/29/2023
S2525TE5EM	BERNARD® S-GUN 250 AMP, 25FT 45 DEG NECK MILLER®	9/29/2023
S4015AE7KMC	S4015AE7KMC	9/29/2023
S4020AE5KMC	S GUNS 20'	9/29/2023
S4020AE7KMC	BAC,400A,20',5/64,MIL S GUNS FOR ARI	9/29/2023
S4025AE7KMC	S GUNS 25'	9/29/2023
SG1102-XS3220	TGX® MIG GUN 300A 20'	9/29/2023
SG1139-5015-116	TORCH A/C HAND 550A 15' (SP03)	9/29/2023
SG1619-4015	TORCH A/C HAND 450A 15' (SP03)	9/29/2023
SG1619-4025	TORCH A/C HAND 450A 25' (SP03)	9/29/2023
SG1640-4020	TORCH A/C HAND 450A 20' (SP03)	9/29/2023
SG1993-XS2612	TGX® MIG GUN 260A 12'	9/29/2023
SG2058-4010	TORCH A/C HAND 450A 10'	9/29/2023
SG2356-1815	TORCH A/C HAND 180A	9/29/2023
SG714-4008	TORCH A/C 400A 8'	9/29/2023
SG715-3015	TORCH A/C 300A 15' (SP03)	9/29/2023
SG980-4J15	TORCH A/C 400A 15' (SP03) MODEL Q4	9/29/2023
SGCA30242C	TOUGH GUN® CA3 ROBOTIC AIR-COOLED MIG GUN, 385 AMP, SOLID MOU	9/29/2023
SGCA30242G	TOUGH GUN® CA3 ROBOTIC AIR-COOLED MIG GUN, 385 AMP, SOLID MOU	9/29/2023
T-030-5	CONTACT TIP, .030 (.8MM) BERNARD® (5)	9/29/2023
T-035-5	CONTACT TIP,.035 (.9MM) BERNARD® (5)	9/29/2023
T-045-5	CONTACT TIP, .045 (1.2MM) BERNARD® (5)	9/29/2023
T-052-5	CONTACT TIP, .052 (1.4MM) BERNARD® (5)	9/29/2023
T-062-5	CONTACT TIP, .062 (1.6MM) BERNARD® (5)	9/29/2023
T1023	CONTACT TIP, .023 WIRE	9/29/2023

T1023-05	CONTACT TIP, 5/16 O	9/29/2023
T1030	CONTACT TIP, .030 WIRE	9/29/2023
T1030-05	CONTACT TIP, 5/16 O	9/29/2023
T1039	TIP,CONTACT, .039 WIRE	9/29/2023
T1039-05	CONTACT TIP, 5/16 O	9/29/2023
T1068	TIP FOR .068 WIRE 5/16 OD	9/29/2023
T1068-05	CONTACT TIP, 5/16 O	9/29/2023
T1072	TIP CONTACT 0.072	9/29/2023
T1072-05	CONTACT TIP, 5/16 O	9/29/2023
T-109	CONTACT TIP, CF 7/64" (2.8MM) 1.500 LG	9/29/2023
T1116-05	CONTACT TIP, 5/16 O	9/29/2023
T1118	TIP,CONTACT,.350 OD	9/29/2023
T1118-05	CONTACT TIP, .350 O	9/29/2023
T-125	CONTACT TIP, CF 1/8" (3.2MM) 1.500 LG	9/29/2023
T1332	TIP CONTACT .350 OD,3/32	9/29/2023
T1332-05	CONTACT TIP, .350 O	9/29/2023
T1564	OXO™ QUICK TIP .078 WIRE	9/29/2023
T1564-05	CONTACT TIP, 5/16 O	9/29/2023
T1764	TIP CONTACT .350 OD,7/64	9/29/2023
T1764-05	CONTACT TIP, .350 O	9/29/2023
T2364	TIP CONTACT 5/16 OD 3/64	9/29/2023
TT-023	TIP,C-FIRE TAPERED .023 (0.6MM) 2.000 LG	9/29/2023
TT-035-5	TIP,TAPERED,.035(.9MM) BERNARD® (5)	9/29/2023
TT-045-5	TIP, TAPERED,.045 (1.2MM) BERNARD® (5)	9/29/2023
V403-20-52-500	"TIP CONTACT .052"/1"	9/29/2023
VT-045-500	TIP,CENTERFIRE,045	9/29/2023
VT1035-500	TIP CONTCT 5/16 OD	9/29/2023
VT1045-500	TIP CONTACT 5/16 OD	9/29/2023
VT1116-500	TIP CONTACT 5/16 OD 1/16 BULK PACKED	9/29/2023
VT1364-500	TIP CONTACT 5/16 OD 3/64 BULK PACKED	9/29/2023
Z401-89-58	NOZZLEZLE 13MM BORE FLUSH TIP (10)	9/29/2023
Z401-89-62-3	NOZZLE INSULATOR (10)	9/29/2023
Z404-89	GAS DIFFUSER (C)	9/29/2023
242	NOZZLE,BRASS,3/4" PIPELIN	Prior to 9/29/2023
243	TIP,.030-.035(.8-.9)PIPE	Prior to 9/29/2023
244	TIP,.045IN(1.2MM)PIPELIN	Prior to 9/29/2023
308	CONNECTOR CONE 300A BRASS (PLS)	Prior to 9/29/2023
409	CONE NUT 300/400A BRASS ( PLS)	Prior to 9/29/2023
509	CONE NUT 500A BRASS	Prior to 9/29/2023
609	CONE NUT 600A BRASS	Prior to 9/29/2023
4207	POST FASTENER	Prior to 9/29/2023
4209	SCREW,0.375X6-32 UNC 2A COMBO HEAD	Prior to 9/29/2023
4929	O-RING-3/4 INCH O.D.	Prior to 9/29/2023
4966	GDE TB,5-5/8, 1/16-1/8	Prior to 9/29/2023
4968	GDE TB,5-1/16, 1/16-1/8	Prior to 9/29/2023
4992	CLAMP 12.3MM	Prior to 9/29/2023
7127	O-RING,0.614 ID	Prior to 9/29/2023
058262	CAP,VALVE	Prior to 9/29/2023
194146	KIT,WATER CONNECTION	Prior to 9/29/2023
195399	PIPEWORX 250-15 GUN	Prior to 9/29/2023
230413	M-25 GUN 15 FT .030-.035 WIRE (BERNARD®)	Prior to 9/29/2023
248326	TENSION ADJUST KNOB PISTOL	Prior to 9/29/2023
1520017	CLAMP, STEPLESS, 11.3-505	Prior to 9/29/2023
1620003	COVER,CE,#8 BUTTON HD SOCKET SCREW	Prior to 9/29/2023
1770054	MDX-250 AugmentedArc®	Prior to 9/29/2023

1810052	REAR POD, LOW PROFILE WITH2 MALE LEADS	Prior to 9/29/2023
1810055	REAR POD, CONTINUUM 2 MALE CONNECTORS	Prior to 9/29/2023
1920360	.035-.045 LINCOLN®ER, CUT LENG	Prior to 9/29/2023
2040008	O RING	Prior to 9/29/2023
2200170	POWER PIN CAP, ACCULOCK, MILLER®, .023" - .030"	Prior to 9/29/2023
2200171	POWER PIN CAP, MIL, 030-045 ASSEMBLY	Prior to 9/29/2023
2200172	CAP ASSEMBLY,ACLK,MILLER®,.272 TAN WASHER	Prior to 9/29/2023
2200180	PP CAP,ACLK,LINCOLN®	Prior to 9/29/2023
2200181	POWER PIN CAP, .234 IN BORE,ACCULOCK, LINCOLN®	Prior to 9/29/2023
2200182	PP CAP,ACLK,LINCOLN®	Prior to 9/29/2023
2200183	POWER PIN CAP, TWECO®4, 0	Prior to 9/29/2023
2200184	POWER PIN CAP, TWECO®4, 0	Prior to 9/29/2023
2200185	CAP ASSEMBLY,ACLK,TWECO®	Prior to 9/29/2023
2200186	POWER PIN CAP, TWECO®5, 0	Prior to 9/29/2023
2200187	POWER PIN CAP, TWECO®5, 0	Prior to 9/29/2023
2200188	CAP ASSEMBLY,ACLK,TWECO®	Prior to 9/29/2023
2200189	CAP ASY,ACLK,OXO™/BR	Prior to 9/29/2023
2200203	POWER PIN CAP, MIL,045-3/32 ASSEMBLY	Prior to 9/29/2023
2200208	POWER PIN CAP, TWECO®5,04	Prior to 9/29/2023
2200212	POWER PIN CAP, LINCOLN®,04	Prior to 9/29/2023
2280046	SCREW, 1/4-20 X 1/2" HEX SOCKET HD CAP, BLACK	Prior to 9/29/2023
2280056	SCREW,CAP, 8-32 X 1/4 LG BUTTON HEAD SOCKET	Prior to 9/29/2023
2280065	SCREW, SOCKET HEAD CAP #6-32 X 3/8" LG	Prior to 9/29/2023
7010066	B/T ASSEMBLY, D/FLUX, SLIM, 6" X 60 DEG X 3"R	Prior to 9/29/2023
194547-1	O-RING BUNA B011 (6)	Prior to 9/29/2023
203296-005	SCREW M4-0.7X18 JIS PANHD #11003	Prior to 9/29/2023
208-2	JAM NUT (1)	Prior to 9/29/2023
2520047L	STRAIN RELIEF ASSEMBLY LINCOLN® CONTROL PLUG	Prior to 9/29/2023
2520047T	STRAIN RELIEF ASSEMBLY TWECO® CONTROL PLUG	Prior to 9/29/2023
310-1-6	SCREW 6-32 X 5/8" - BLACK (10)	Prior to 9/29/2023
3368P	SET SCREW 10-32 X 3/8" LONG	Prior to 9/29/2023
402-6	O-RING SILICONE 016 ORANG (100)	Prior to 9/29/2023
403-7-1.0	CHROME ZIRC CONTACT TIP, 1 .0MM	Prior to 9/29/2023
403-7-30	CHROME ZIRC CONV TIP .030	Prior to 9/29/2023
408T	CONNECTOR CONE	Prior to 9/29/2023
410-12M	SCREW, CS M5 X .8 X 6MM LG	Prior to 9/29/2023
411-2-2X	TGX® SWITCH LEVER	Prior to 9/29/2023
414-11-2	O-RING, MILLER® 112	Prior to 9/29/2023
414-12-2	O-RING, 015	Prior to 9/29/2023
414-400-10	POWER PIN INSULATOR	Prior to 9/29/2023
414-400-28	POWER PIN INSULATOR (1)	Prior to 9/29/2023
414-400-29	POWER PIN INSULATOR (1)	Prior to 9/29/2023
414-400-33	POWER PIN INSULATORS (1)	Prior to 9/29/2023
414-400-35	POWER PIN INSULATOR	Prior to 9/29/2023
414-400C	CONTINUUM UNIVERSAL ADAPTOR DETAIL	Prior to 9/29/2023
415-1M	LINCOLN®ER O-RING, 7.5 X 1	Prior to 9/29/2023
425-9	EURO O-RING, 4 X 1.0MM	Prior to 9/29/2023
495-7	O-RING, QC, WATER-COOLED NECK 012	Prior to 9/29/2023
5012A	THREADED INSERT FPR 4816 EURO NUT	Prior to 9/29/2023
58SA904	CABLE ABB N/RPC IRB 1600ID	Prior to 9/29/2023
58SA904A	CABLE ABB N/RPC IRB 1600ID AIR BLAST	Prior to 9/29/2023
58SA904AW	CABLE ABB N/RPC IRB 1600ID A/B WIRE BRAKE	Prior to 9/29/2023
58SA904W	CABLE ABB N/RPC IRB 1600ID WIRE BRAKE	Prior to 9/29/2023
58SF006Z	LSR ASSEMBLY RPC INVRTD 120IC SP15	Prior to 9/29/2023
58SF007Z	LSR ASSEMBLY RPC INVRTD 100IC-6L	Prior to 9/29/2023

58SF905	CABLE FANUC N/RPC 100IC/100IC-12L	Prior to 9/29/2023
58SF905A	CABLE FANUC N/RPC 100IC/100IC-12L AB	Prior to 9/29/2023
58SF905AW	CABLE FANUC N/RPC 100IC/100IC-12 AB/WB	Prior to 9/29/2023
58SF905W	CABLE FANUC N/RPC 100IC/100IC-12 WB	Prior to 9/29/2023
599-3	O-RING BUNA 018 (10)	Prior to 9/29/2023
608-1	CONNECTOR CONE 500/600A	Prior to 9/29/2023
656-0	BLUE WATERLINCOLN®E-BULK (100)	Prior to 9/29/2023
D-1-1	GAS DIFFUSER, CENTERFIRE™ LARGE NOZZLE	Prior to 9/29/2023
DS-1-1	GAS DIFFUSER, CENTERFIRE™ SLIM NOZZLE	Prior to 9/29/2023
ESA50787-A1	BTO,300A,15',.045,EURO	Prior to 9/29/2023
ESA50787-A2	BTO,300A,20',.045,EURO	Prior to 9/29/2023
ESA50802-A2	MDX-250 EZ SELECT, 15', .035-.045", ACCLK, LG NECK	Prior to 9/29/2023
ESA50812	CAP ASSEMBLY, ACLK, OXO™	Prior to 9/29/2023
ESA50813	CAP ASSEMBLY,ACLK, TWECO® 5 SET SCREW	Prior to 9/29/2023
ESA50814	CAP ASSEMBLY,ACLK,MILLER® TAN WASHER, SET SCREW	Prior to 9/29/2023
ESA50817	CAP ASSEMBLY,ACLK, TWECO® 4 SET SCREW	Prior to 9/29/2023
ESA50833-A1	BAC,300A,20',.035,MIL	Prior to 9/29/2023
L58SF011Z	LSR CBLE 100ID LINCOLN® INV RPC	Prior to 9/29/2023
L58SF014Z	LSR UNICABLE, FANUC 100ID/10L / LINCOLN®	Prior to 9/29/2023
L58SF015Z	LSR CBLE 120ID LINCOLN® INV RPC	Prior to 9/29/2023
M5415-564-5	WITHC HANDHELD 450A 15.0FT MILL	Prior to 9/29/2023
NS-AFLX	NOZZLE ASSEMBLY, GASLESS - ACCULOCK	Prior to 9/29/2023
Q3015AE4EMAEX	BAC,300A,15',.045,MIL	Prior to 9/29/2023
Q3015AE4ETAEX	BAC,300A,15',.045,TWECO®E	Prior to 9/29/2023
Q3015AE4IMAEX	BAC,300A,15',1/16,MIL	Prior to 9/29/2023
Q3015AE4ITAEX	BAC,300A,15',1/16,TWECO®E	Prior to 9/29/2023
Q4015TD8KSC	BAC,400A,15',5/64,T	Prior to 9/29/2023
Q4020CATLR	400 AMP GUN ASSEMBLY, 20 FT OXO™ QC	Prior to 9/29/2023
QJL-L6	GASLESS, 5/64 JUMP LINCOLN®ER	Prior to 9/29/2023
QJL-L7	GASLESS, 3/32 JUMP LINCOLN®ER	Prior to 9/29/2023
QUIK TIP®3-45LR	BODY TUBE BENT R3.20X45 LOCKING WITH RUBBER	Prior to 9/29/2023
RPA-45	STANDARD ROBOTIC PKGE	Prior to 9/29/2023
RS-500-3-7	O-RING, BUNA 008	Prior to 9/29/2023
SG58-446	USE TA1F107FE3CM	Prior to 9/29/2023
TR-2239	RING GASKET .062 THK (10)	Prior to 9/29/2023
TR-2250	AIR LINCOLN®E 1/4" DIA 4FT LG (1)	Prior to 9/29/2023
TR-2530	MUFFLER	Prior to 9/29/2023
TS-1000-01	SPRAY CONTAINMENT FOR HD NOZZLES EXCLUDING 3/4 BORE	Prior to 9/29/2023
TS-1000-02	SPRAY CONTAINMENT FOR SD NOZZLES	Prior to 9/29/2023
TS-1000-04	SPRAY CONTAINMENT FOR HD BOTTLENECK NOZZLES	Prior to 9/29/2023
TS-1000-05	SPRAY CONTAINMENT FOR SD BOTTLENECK NOZZLES	Prior to 9/29/2023
TS-1101	MID SECTION DETAIL	Prior to 9/29/2023
TS-1310	COLLECTION RESERVOIR ASSEMBLY	Prior to 9/29/2023
TT4-LUB	TT4 REAM AIR MOTOR LUB WITH FITTING	Prior to 9/29/2023
Z214-2	POWER PIN-LINCOLN® (1)	Prior to 9/29/2023

PLS'd Item	Discontinued Configuration Description	Discontinued Date
Q1510AB8BM	BTB Q MIG GUN	8/31/2022
CL4015NK5KBC	CLEAN AIR A/C MIG GUN, 400A	9/29/2023
MA15A01AA0ST	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01AB0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01CA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01CD0E4	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 4ft, 401-42-50 .045in (1.2mm) - Steel Mill	9/29/2023
MA15A01EA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .035in (0.9mm) - Steel Twec	9/29/2023
MA15A01EA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01GA0CT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01GA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01JA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01LA0CL	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .035in (0.9mm) - Steel Lincol	9/29/2023
MA15A01LA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .035in (0.9mm) - Steel Miller	9/29/2023
MA15A01LA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .045in (1.2mm) - Steel Lincol	9/29/2023
MA15A01LA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A01MA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15A01RA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15A01RA0TM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 10.0ft, 401-6-62 1/16in (1.6mm) - Alumin	9/29/2023
MA15A01TA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15A01TB0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 15ft, 401-5-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15A05AA0UM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15A05GA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, AccuLock™ 6ft, 401-6-62 .035in (0.9mm) - Steel Miller®	9/29/2023
MA15A06LLOCM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B00C000T	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, No-Consumables 4.0ft, Tweco® 4	9/29/2023
MA15B00G000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B00R000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01AA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01AA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Steel Twec	9/29/2023
MA15B01BA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01CA0E4	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01CA0EL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01CA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15B01CD0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 4ft, 401-42-50 .045in (1.2mm) - Steel Mill	9/29/2023
MA15B01EA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .035in (0.9mm) - Steel Twec	9/29/2023
MA15B01EA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel Mille	9/29/2023
MA15B01GA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01GA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel Twec	9/29/2023
MA15B01GA0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel Euro	9/29/2023
MA15B01GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01GB0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-5-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15B01GD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6.0ft, 401-42-50 .035in (0.9mm) - Steel Mi	9/29/2023
MA15B01GD0CT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01KA0EL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01LA0CL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01LA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01LA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15B01LB0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 8.0ft, 401-5-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15B01MA0LM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 5/64in (2.0mm) - Steel Mill	9/29/2023
MA15B01RA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .045in (1.2mm) - Steel Linc	9/29/2023
MA15B01RA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01RD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 10.0ft, 401-42-50 .035in (0.9mm) - Steel M	9/29/2023
MA15B01SD0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 12ft, 401-42-50 .045in (1.2mm) - Steel Mil	9/29/2023
MA15B01TA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B01TD0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15B05CA0CP	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, AccuLock™ 4.0ft, 401-6-62 .035in (0.9mm) - Steel Panaso	9/29/2023
MA15B05EA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, AccuLock™ 5.0ft, 401-6-62 .045in (1.2mm) - Steel Tweco®	9/29/2023
MA15B05GF0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, AccuLock™ 6ft, 401-7-75 .035in (0.9mm) - Steel Miller®	9/29/2023
MA15B06EL0CL	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, AccuLock™ 5 ft, 401-30-62T .035in (0.9mm) - Steel Lincol	9/29/2023
MA15C01BA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15C01CA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .035in (0.9mm) - Steel Miller	9/29/2023
MA15C01CA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15C01CC0JL	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 4ft, 401-6-50 1/16in (1.6mm) - Steel Linco	9/29/2023
MA15C01GA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15C01GA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15C01GA0ST	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 3/64in (1.2mm) - Aluminum	9/29/2023
MA15C01HA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 6.5ft, 401-6-62 .045in (1.2mm) - Steel Mill	9/29/2023

MA15C01RA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15C01RA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15C01RA0ME	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 10.0ft, 401-6-62 3/32in (2.4mm) - Steel Eu	9/29/2023
MA15C01RC0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 10ft, 401-6-50 .035in (0.9mm) - Steel Mill	9/29/2023
MA15C01TA0CP	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .035in (0.9mm) - Steel Pan	9/29/2023
MA15C01TA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15C01TA0ME	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 3/32in (2.4mm) - Steel Eurc	9/29/2023
MA15C05SA0BE	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, AccuLock™ 12ft, 401-6-62 .030in (0.8mm) - Steel Euro	9/29/2023
MA15C06GL0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D00E000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D00G000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D00L000E	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, No-Consumables 8.0ft, Euro	9/29/2023
MA15D00S000M	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, No-Consumables 12ft, Miller®	9/29/2023
MA15D00T000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01AA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.0ft, 401-6-62 .035in (0.9mm) - Steel Mi	9/29/2023
MA15D01AA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01AA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15D01AA0FM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3ft, 401-6-62 3/64in (1.2mm) - Steel Mill	9/29/2023
MA15D01AA0UM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Aluminur	9/29/2023
MA15D01AB0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3ft, 401-5-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15D01AC0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.0ft, 401-6-50 3/64in (1.2mm) - Aluminu	9/29/2023
MA15D01AJ0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01BA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .035in (0.9mm) - Steel Mi	9/29/2023
MA15D01BA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .035in (0.9mm) - Steel Tw	9/29/2023
MA15D01BA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .045in (1.2mm) - Steel Lin	9/29/2023
MA15D01BA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
MA15D01CA0CE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .035in (0.9mm) - Steel Euro	9/29/2023
MA15D01CA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01CA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01CA0EP	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .045in (1.2mm) - Steel Pan	9/29/2023
MA15D01CA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01CA0EW	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01CA0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01CA0GW	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .052in (1.3mm) - Steel Twe	9/29/2023
MA15D01CA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15D01CA0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 3/64in (1.2mm) - Aluminur	9/29/2023
MA15D01CA0TM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 1/16in (1.6mm) - Aluminur	9/29/2023
MA15D01DA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4.5ft, 401-6-62 .035in (0.9mm) - Steel Mi	9/29/2023
MA15D01DA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01DA0EW	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4.5ft, 401-6-62 .045in (1.2mm) - Steel Tw	9/29/2023
MA15D01EA0CL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .035in (0.9mm) - Steel Linc	9/29/2023
MA15D01EA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01EA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .035in (0.9mm) - Steel Twe	9/29/2023
MA15D01EA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel Linc	9/29/2023
MA15D01EA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01EA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01EA0FM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 3/64in (1.2mm) - Steel Mill	9/29/2023
MA15D01EA0JE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 1/16in (1.6mm) - Steel Eur	9/29/2023
MA15D01EA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15D01FA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5.5ft, 401-6-62 .035in (0.9mm) - Steel Mi	9/29/2023
MA15D01FA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5.5ft, 401-6-62 .045in (1.2mm) - Steel Lin	9/29/2023
MA15D01GA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15D01GA0CT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01GA0E1	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01GA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15D01GA0EW	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01GA0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01GA0TM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 1/16in (1.6mm) - Aluminur	9/29/2023
MA15D01GJ0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01HA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6.5ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
MA15D01JA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 7ft, 401-6-62 .035in (0.9mm) - Steel Twe	9/29/2023
MA15D01JA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01KA0EL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01KA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 7.5ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
MA15D01LA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .035in (0.9mm) - Steel Mill	9/29/2023
MA15D01LA0EB	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01LA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01LA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023

MA15D01LA0GL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .052in (1.3mm) - Steel Linc	9/29/2023
MA15D01LA0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01LA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15D01LA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 3/32in (2.4mm) - Steel Mill	9/29/2023
MA15D01LA0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 3/64in (1.2mm) - Aluminu	9/29/2023
MA15D01LB0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01MA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
MA15D01MA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 .045in (1.2mm) - Steel Tw	9/29/2023
MA15D01MA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 1/16in (1.6mm) - Steel M	9/29/2023
MA15D01MA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 3/32in (2.4mm) - Steel M	9/29/2023
MA15D01NA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01RA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .035in (0.9mm) - Steel Mil	9/29/2023
MA15D01RA0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .045in (1.2mm) - Steel Eur	9/29/2023
MA15D01RA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .045in (1.2mm) - Steel Mil	9/29/2023
MA15D01RA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 1/16in (1.6mm) - Steel Mi	9/29/2023
MA15D01RA0LM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01RA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10.0ft, 401-6-62 3/32in (2.4mm) - Steel M	9/29/2023
MA15D01RA0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 3/64in (1.2mm) - Aluminu	9/29/2023
MA15D01RE0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-7-62 3/64in (1.2mm) - Aluminu	9/29/2023
MA15D01RJ0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01SA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 12ft, 401-6-62 .035in (0.9mm) - Steel Mil	9/29/2023
MA15D01SA0EB	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01SA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 12ft, 401-6-62 .045in (1.2mm) - Steel Mil	9/29/2023
MA15D01SA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01TA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01TA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .035in (0.9mm) - Steel Tw	9/29/2023
MA15D01TA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01TA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .045in (1.2mm) - Steel Tw	9/29/2023
MA15D01TA0FM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 3/64in (1.2mm) - Steel Mi	9/29/2023
MA15D01TA0GL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .052in (1.3mm) - Steel Lin	9/29/2023
MA15D01TA0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .052in (1.3mm) - Steel Mil	9/29/2023
MA15D01TA0GT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .052in (1.3mm) - Steel Tw	9/29/2023
MA15D01TA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01TA0LM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 5/64in (2.0mm) - Steel Mi	9/29/2023
MA15D01TB0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D01TB0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-5-62 .045in (1.2mm) - Steel Mil	9/29/2023
MA15D01TD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-42-50 .035in (0.9mm) - Steel M	9/29/2023
MA15D01TE0FM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-7-62 3/64in (1.2mm) - Steel Mi	9/29/2023
MA15D01TJ0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05AE0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05BJ0TT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 3.5ft, 401-7-87 1/16in (1.6mm) - Aluminum	9/29/2023
MA15D05EA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05EB0CL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05GA0UM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 6ft, 401-6-62 .045in (1.2mm) - Aluminum Mi	9/29/2023
MA15D05HB0C2	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05LA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 8.0ft, 401-6-62 .045in (1.2mm) - Steel Tw	9/29/2023
MA15D05NB0C2	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 9.0ft, 401-5-62 .035in (0.9mm) - Steel Lincol	9/29/2023
MA15D05RF0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 10ft, 401-7-75 .045in (1.2mm) - Steel Miller®	9/29/2023
MA15D05SA0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05SE0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D05TA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 15.0ft, 401-6-62 .045in (1.2mm) - Steel Mille	9/29/2023
MA15D05TB0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 15ft, 401-5-62 .035in (0.9mm) - Steel Miller®	9/29/2023
MA15D05TB0JL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 15.0ft, 401-5-62 1/16in (1.6mm) - Steel Linc	9/29/2023
MA15D05TE0GT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 15ft, 401-7-62 .052in (1.3mm) - Steel Tw	9/29/2023
MA15D06AL0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 3.0ft, 401-30-62T .035in (0.9mm) - Steel Mill	9/29/2023
MA15D06AL0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 3ft, 401-30-62T .045in (1.2mm) - Steel Miller	9/29/2023
MA15D06CL0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 4.0ft, 401-30-62T .045in (1.2mm) - Steel Mill	9/29/2023
MA15D06GL0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 6.0ft, 401-30-62T .035in (0.9mm) - Steel Mill	9/29/2023
MA15D06RL0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 10ft, 401-30-62T .035in (0.9mm) - Steel Mill	9/29/2023
MA15D06SL0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15D06TL0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E00G000M	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, No-Consumables 6.0ft, Miller®	9/29/2023
MA15E01BA0EE	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E01BH0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 3.5ft, 401-4-50 .045in (1.2mm) - Steel Mill	9/29/2023
MA15E01CA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E01CA0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .052in (1.3mm) - Steel Miller	9/29/2023
MA15E01CA0GT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E01CD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 4ft, 401-42-50 .035in (0.9mm) - Steel Mill	9/29/2023

MA15E01DA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 4.5ft, 401-6-62 .045in (1.2mm) - Steel Linc	9/29/2023
MA15E01DA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 4.5ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15E01EA0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel Euro	9/29/2023
MA15E01EA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel Mille	9/29/2023
MA15E01GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E01GD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 6ft, 401-42-50 .035in (0.9mm) - Steel Mill	9/29/2023
MA15E01GD0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 6ft, 401-42-50 .045in (1.2mm) - Steel Mille	9/29/2023
MA15E01LA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15E01LH0C4	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E01RD0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 10.0ft, 401-42-50 .035in (0.9mm) - Steel M	9/29/2023
MA15E01TA0JL	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 1/16in (1.6mm) - Steel Linc	9/29/2023
MA15E01TA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 3/32in (2.4mm) - Steel Mill	9/29/2023
MA15E01TB0EF	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15E06LLOE4	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15F00T000M	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, No-Consumables 15ft, Miller®	9/29/2023
MA15F01BA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 3.5ft, 401-6-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15F01CA0CL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15F01CA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .035in (0.9mm) - Steel Miller	9/29/2023
MA15F01CA0EF	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .045in (1.2mm) - Steel Froni	9/29/2023
MA15F01EA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15F01GA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel Miller	9/29/2023
MA15F01GA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel Twe	9/29/2023
MA15F01GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15F01GA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15F01LA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .045in (1.2mm) - Steel Miller	9/29/2023
MA15F01RA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 .035in (0.9mm) - Steel Mille	9/29/2023
MA15F01SA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15F01TA0JL	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 1/16in (1.6mm) - Steel Linc	9/29/2023
MA15F01TA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 1/16in (1.6mm) - Steel Mill	9/29/2023
MA15F05RB0CL	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Neck, AccuLock™ 10.0ft, 401-5-62 .035in (0.9mm) - Steel Lincol	9/29/2023
MA15G01JA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15G01RH0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15G01SA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 12ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15G01TA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15G01TC0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, TOUGH LOCK® 15ft, 401-6-50 .045in (1.2mm) - Steel Euro	9/29/2023
MA15G05GA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15G05MF0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, AccuLock™ 8.5ft, 401-7-75 .045in (1.2mm) - Steel Miller®	9/29/2023
MA15G05RB0CL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H00H00T	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H00L000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01AA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Steel Mille	9/29/2023
MA15H01CA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01CA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01CA0EP	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-6-62 .045in (1.2mm) - Steel Pan	9/29/2023
MA15H01CB0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-5-62 .052in (1.3mm) - Steel Mille	9/29/2023
MA15H01CE0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 4ft, 401-7-62 .045in (1.2mm) - Steel Mille	9/29/2023
MA15H01CF0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01EA0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel Eur	9/29/2023
MA15H01EA0FE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-62 3/64in (1.2mm) - Steel Eur	9/29/2023
MA15H01EC0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-6-50 .035in (0.9mm) - Steel Mill	9/29/2023
MA15H01EE0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 5 ft, 401-7-62 .045in (1.2mm) - Steel Mill	9/29/2023
MA15H01GA0EP	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel Pan	9/29/2023
MA15H01GB0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6ft, 401-5-62 .052in (1.3mm) - Steel Mille	9/29/2023
MA15H01GD0C1	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 6.0ft, 401-42-50 .035in (0.9mm) - Steel T	9/29/2023
MA15H01JA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 7ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15H01JA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 7ft, 401-6-62 3/32in (2.4mm) - Steel Mill	9/29/2023
MA15H01LA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.0ft, 401-6-62 .035in (0.9mm) - Steel Mi	9/29/2023
MA15H01LA0DM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01LA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8ft, 401-6-62 .045in (1.2mm) - Steel Twe	9/29/2023
MA15H01MA0EE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 .045in (1.2mm) - Steel Eu	9/29/2023
MA15H01MA0ET	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01MA0FE	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 8.5ft, 401-6-62 3/64in (1.2mm) - Steel Eu	9/29/2023
MA15H01PA0ET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 9.5ft, 401-6-62 .045in (1.2mm) - Steel Tw	9/29/2023
MA15H01RA0DM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 10ft, 401-6-62 1.0in (1.0mm) - Steel Mille	9/29/2023
MA15H01RA0E4	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01RA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01TA0CT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H01TA0E4	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .045in (1.2mm) - Steel Mil	9/29/2023
MA15H01TA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .045in (1.2mm) - Steel Mil	9/29/2023

MA15H01TA0GL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .052in (1.3mm) - Steel Lin	9/29/2023
MA15H01TA0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, TOUGH LOCK® 15ft, 401-6-62 .052in (1.3mm) - Steel Mil	9/29/2023
MA15H01TB0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H05CA0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H05CA0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 4.0ft, 401-6-62 .052in (1.3mm) - Steel Miller'	9/29/2023
MA15H05FA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 5.5ft, 401-6-62 .045in (1.2mm) - Steel Miller'	9/29/2023
MA15H05GA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 6ft, 401-6-62 .035in (0.9mm) - Steel Miller®	9/29/2023
MA15H05RA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 10ft, 401-6-62 .035in (0.9mm) - Steel Miller®	9/29/2023
MA15H05TA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 15.0ft, 401-6-62 1/16in (1.6mm) - Steel Mille	9/29/2023
MA15H06CB0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 4.0ft, 401-5-62 .035in (0.9mm) - Steel Miller'	9/29/2023
MA15H06CL0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H06GL0TT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H06GL0UM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 6ft, 401-30-62T .045in (1.2mm) - Aluminum	9/29/2023
MA15H06GL0UT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15H06LLOET	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 8ft, 401-30-62T .045in (1.2mm) - Steel Twecr	9/29/2023
MA15H06RLOCM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Neck, AccuLock™ 10.0ft, 401-30-62T .035in (0.9mm) - Steel Mi	9/29/2023
MA15H06TL0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15J01RA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Ext. Neck, TOUGH LOCK® 10ft, 401-6-62 .035in (0.9mm) - Steel	9/29/2023
MA15J05GB0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Ext. Neck, AccuLock™ 6.0ft, 401-5-62 .035in (0.9mm) - Steel Mil	9/29/2023
MA15L00T000M	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15L01EC0GM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15L05GA0GM	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Neck, AccuLock™ 6.0ft, 401-6-62 .052in (1.3mm) - Steel Miller®	9/29/2023
MA15M01CA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M01CA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M01CB0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M01EA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M01EB0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M01RA0GT	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Ice Neck, TOUGH LOCK® 10ft, 401-6-62 .052in (1.3mm) - Steel T	9/29/2023
MA15M01TA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M05AJ0TM	MA1 Fixed Automatic A/C Torch, 350 Amp, 22 Deg Ice Neck, AccuLock™ 3.0ft, 401-7-87 1/16in (1.6mm) - Aluminur	9/29/2023
MA15M05BE0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15M05EA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15N01CA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Ice Neck, TOUGH LOCK® 4ft, 401-6-62 .045in (1.2mm) - Steel M	9/29/2023
MA15N01GA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 45 Deg Ice Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel M	9/29/2023
MA15N01RA0E4	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15N01RA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15P01CA0EL	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15P01GA0CW	MA1 Fixed Automatic A/C Torch, 350 Amp, 60 Deg Ice Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel Tv	9/29/2023
MA15Q01AA0CT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3ft, 401-6-62 .035in (0.9mm) - Steel T	9/29/2023
MA15Q01AA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Steel N	9/29/2023
MA15Q01AA0UM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3ft, 401-6-62 .045in (1.2mm) - Alumir	9/29/2023
MA15Q01AB0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3ft, 401-5-62 1/16in (1.6mm) - Steel P	9/29/2023
MA15Q01AF0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3ft, 401-7-75 .035in (0.9mm) - Steel N	9/29/2023
MA15Q01BA0ST	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01BF0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3.5ft, 401-7-75 .035in (0.9mm) - Stee	9/29/2023
MA15Q01BF0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 3.5ft, 401-7-75 .045in (1.2mm) - Stee	9/29/2023
MA15Q01CA0CM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4ft, 401-6-62 .035in (0.9mm) - Steel N	9/29/2023
MA15Q01CA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4.0ft, 401-6-62 .045in (1.2mm) - Stee	9/29/2023
MA15Q01CA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01CA0JT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4ft, 401-6-62 1/16in (1.6mm) - Steel T	9/29/2023
MA15Q01CA0SM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4ft, 401-6-62 3/64in (1.2mm) - Alumii	9/29/2023
MA15Q01CC0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4.0ft, 401-6-50 .045in (1.2mm) - Stee	9/29/2023
MA15Q01CF0DM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01DA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4.5ft, 401-6-62 .045in (1.2mm) - Stee	9/29/2023
MA15Q01DA0JW	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 4.5ft, 401-6-62 1/16in (1.6mm) - Stee	9/29/2023
MA15Q01EA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 5 ft, 401-6-62 .045in (1.2mm) - Steel I	9/29/2023
MA15Q01EA0JM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01EA0TM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 5.0ft, 401-6-62 1/16in (1.6mm) - Alun	9/29/2023
MA15Q01EF0DM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01FA0EL	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 5.5ft, 401-6-62 .045in (1.2mm) - Stee	9/29/2023
MA15Q01GA0CB	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 6ft, 401-6-62 .035in (0.9mm) - Steel E	9/29/2023
MA15Q01GA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 6ft, 401-6-62 .045in (1.2mm) - Steel N	9/29/2023
MA15Q01GB0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 6ft, 401-5-62 .045in (1.2mm) - Steel N	9/29/2023
MA15Q01GF0CM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01JA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01JA0TM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01MA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 8.5ft, 401-6-62 1/16in (1.6mm) - Stee	9/29/2023
MA15Q01RA0CT	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01RA0EM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023

MA15Q01RA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 10ft, 401-6-62 1/16in (1.6mm) - Steel	9/29/2023
MA15Q01RA0MM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 10ft, 401-6-62 3/32in (2.4mm) - Steel	9/29/2023
MA15Q01RF0J1	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01SA0TM	MA1 FIXED AUTOMATIC A/C TORCH	9/29/2023
MA15Q01TA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 15ft, 401-6-62 .045in (1.2mm) - Steel	9/29/2023
MA15Q01TA0JM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, TOUGH LOCK® 15.0ft, 401-6-62 1/16in (1.6mm) - Ste	9/29/2023
MA15Q05AE0TT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 3ft, 401-7-62 1/16in (1.6mm) - Aluminur	9/29/2023
MA15Q05AJ0TT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 3ft, 401-7-87 1/16in (1.6mm) - Aluminur	9/29/2023
MA15Q05CJ0TT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 4ft, 401-7-87 1/16in (1.6mm) - Aluminur	9/29/2023
MA15Q05DA0TT	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 4.5ft, 401-6-62 1/16in (1.6mm) - Aluminu	9/29/2023
MA15Q05DA0TW	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 4.5ft, 401-6-62 1/16in (1.6mm) - Aluminu	9/29/2023
MA15Q05EA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 5.0ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
MA15Q05JA0EM	MA1 Fixed Automatic A/C Torch, 350 Amp, 180 Deg Ice Neck, AccuLock™ 7.0ft, 401-6-62 .045in (1.2mm) - Steel Mi	9/29/2023
Q2010AB5BMC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2010AB7AMC	200A,BTB MIG Gun,10'(3.05m),.023"(0.6mm),Miller®,Conv	9/29/2023
Q2010AB7BMC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2010JR5DMC	200A,BTB MIG Gun,10'(3.05m),.039"(1.0mm),Miller®,Conv	9/29/2023
Q2010JR5DMQ	200A,BTB MIG Gun,10'(3.05m),.039"(1.0mm),Miller®,QLL	9/29/2023
Q2010SR5BMC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2010TB5BMC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2010TB5BSC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q2010TE5BMC	200A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2010TOSAMC	200A,BTB MIG Gun,10'(3.05m),.023"(0.6mm),Miller®,Conv	9/29/2023
Q2015AB5DMC	200A,BTB MIG Gun,15'(4.57m),.039"(1.0mm),Miller®,Conv	9/29/2023
Q2015AB7AMC	200A,BTB MIG Gun,15'(4.57m),.023"(0.6mm),Miller®,Conv	9/29/2023
Q2015AOSBMC	200A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2015AR5BTC	200A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q2015TE5BMC	200A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q2020AE7BRC	200A,BTB MIG Gun,20'(6.10m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q3010AB7BEC	300A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Euro,Conv	9/29/2023
Q3010AO7BMC	300A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3010MS5AMC	300A,BTB MIG Gun,10'(3.05m),.023"(0.6mm),Miller®,Conv	9/29/2023
Q3010TE5BSC	300A,BTB MIG Gun,10'(3.05m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q3015AB7BMC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3015AB7BTC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q3015AE1KMC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q3015AE5BMC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3015AE7BTC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Tweco® 4,Conv	9/29/2023
Q3015AE7KLC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
Q3015AE7KMC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q3015AF5DMC	300A,BTB MIG Gun,15'(4.57m),.039"(1.0mm),Miller®,Conv	9/29/2023
Q3015AO7BMC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3015AR5DMC	300A,BTB MIG Gun,15'(4.57m),.039"(1.0mm),Miller®,Conv	9/29/2023
Q3015BE1KBC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Bernard®,Conv	9/29/2023
Q3015TE5BMC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3015TE5KMC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q3015TF5BMC	300A,BTB MIG Gun,15'(4.57m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3015TR5DEQ	300A,BTB MIG Gun,15'(4.57m),.039"(1.0mm),Euro,QLL	9/29/2023
Q3015VE5KMC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q3020AO7BMC	300A,BTB MIG Gun,20'(6.10m),.030"(0.8mm),Miller®,Conv	9/29/2023
Q3020AR1DEC	300A,BTB MIG Gun,20'(6.10m),.039"(1.0mm),Euro,Conv	9/29/2023
Q3025AB1DBC	300A,BTB MIG Gun,25'(7.63m),.039"(1.0mm),Bernard®,Conv	9/29/2023
Q4010AB1DMC	400A,BTB MIG Gun,10'(3.05m),.039"(1.0mm),Miller®,Conv	9/29/2023
Q4010AU1KSC	400A,BTB MIG Gun,10'(3.05m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4010AU1KTC	400A,BTB MIG Gun,10'(3.05m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4010BS7KEC	400A,BTB MIG Gun,10'(3.05m),5/64"(2.0mm),Euro,Conv	9/29/2023
Q4010TV5KMC	400A,BTB MIG Gun,10'(3.05m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AE1KBC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Bernard®,Conv	9/29/2023
Q4015AE1KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AE5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AE5KSC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4015AE7KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AH5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AH5KWC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 5,Conv	9/29/2023
Q4015AR1KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AR7KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015AU1KLC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
Q4015AU1KSC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4015BE1KBC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Bernard®,Conv	9/29/2023

Q4015BE1KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015GE5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015GE5KSC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4015GR5KLC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
Q4015MF5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015MR5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015MS5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015TE5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4015TE5KTC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4015VF5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4020AE1DEC	400A,BTB MIG Gun,20'(6.10m),.039"(1.0mm),Euro,Conv	9/29/2023
Q4020TE5KSC	400A,BTB MIG Gun,20'(6.10m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q4025AE1KLC	400A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
Q4025AE1KMC	400A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4025AF7KMC	400A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q4025AR7KMC	400A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q5010GH1LEC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q5010GH1LMC	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q5010GI5LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5010GR1LEC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5010HE5LMC	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Euro,Conv	9/29/2023
Q5010HR7LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5010NS5LEC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GB1LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GE1LBC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GE1LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GE5KMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q5015GE5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GE7LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GE7LSC	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q5015GH1LEC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GH1LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q5015GH5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q5015GH7LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GI1LLC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q5015GI5LLC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GI5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q5015GI5LSC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q5015GI7LBC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GI7LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q5015GO7LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q5015GR7KEC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q5015GR7LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q5015GU5LLC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q5015GU5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015GV5LSC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q5015HE1LBC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015HH1LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015HI1KLC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015HR7LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015ME1LMC	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
Q5015ME1LSC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5015MI5LMC	500A,BTB MIG Gun,25'(7.63m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5025GR7LMC	500A,BTB MIG Gun,25'(7.63m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5025IH5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q5J15GI7KMC	500A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
Q5J25YV7KUC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q6010GE8MMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6010GF1LEC	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q6010GF5NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6010GH1LEC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6010GH1LMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6010GH5NMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6010GH8MMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Tweco® 4,Conv	9/29/2023
Q6010GH8NMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q6010GI1LMC	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6010GI5MMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6010GI7LMC	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6010GI8MEC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023

Q6010GI8NMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6010IIBNWC	600A,BTB MIG Gun,25'(7.63m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q6010MV5MCM	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6010MV5NMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6010NR8MCM	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6010NU1LMC	600A,BTB MIG Gun,20'(6.10m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015GE5LLC	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015GE5LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GE5NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015GE5NTC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015GE7NMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q6015GE8MLC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q6015GE8MCM	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015GE8NMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015GH1LEC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GH1LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GH5MCM	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GH8MCM	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015GH8NMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Lincoln®,Conv	9/29/2023
Q6015GI1LTC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GI8MCM	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015GI8NMC	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GR7LMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Euro,Conv	9/29/2023
Q6015GS8NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015GV1LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q6015GV5LSC	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015GV8NMC	600A,BTB MIG Gun,20'(6.10m),3/32"(2.4mm),Lincoln®,Conv	9/29/2023
Q6015HF1LBC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015HH8NMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015MH5MCM	600A,BTB MIG Gun,25'(7.63m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015MI1LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q6015MI5MCM	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015MI7LMC	600A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Euro,Conv	9/29/2023
Q6015MS1LMC	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Tweco® 5,Conv	9/29/2023
Q6015MU5NMC	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015MV1LMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015MV5MCM	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q6015MV5NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015NE5LMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015NE8MCM	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6015NF1LMC	600A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 5,Conv	9/29/2023
Q6015NF5LMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015NI8MCM	600A,BTB MIG Gun,25'(7.63m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015NR8MCM	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015NU1LBC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6015NU1LMC	600A,BTB MIG Gun,25'(7.63m),5/64"(2.0mm),Miller®,Conv	9/29/2023
Q6015NV1KWC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015NV5LSC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6015NV7LBC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6020GE1LLC	600A,BTB MIG Gun,25'(7.63m),1/8"(3.2mm),Miller®,Conv	9/29/2023
Q6020GE8MCM	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6025GE8NMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Bernard®,Conv	9/29/2023
Q6025GF5LMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
Q6025GH7LLC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
Q6025MV8NMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
Q6025NI5KMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
RA11DCZAKODD	TOUGH GUN®® CA3 Robotic A/C Torch, Clutch, 22 Deg Neck, Air Blast, HD TOUGH LOCK®, 3ft, 401-48-62 Nocable	9/29/2023
RA11EAZHAD1D6	TOUGH GUN®® CA3 Robotic A/C Torch, Clutch, 45 Deg Neck, HD TOUGH LOCK®, 6.5ft, 401-6-62 519-2 1.0in (1.0mr	9/29/2023
RA12DAZKODD	TOUGH GUN®® CA3 Robotic A/C Torch, Solid Mount, 22 Deg Neck, HD TOUGH LOCK®, 7.5ft, 401-48-62 Nocable 1.0	9/29/2023
RW16AZ0CA5CL	600A ROBOTIC W/C TORCH	9/29/2023
RW16AZ0CB4CM	600A Robotic W/C Torch, 600Amp 22 Deg Neck, 4ft, HD Extend Life, .035in (0.9mm) - Steel Miller®	9/29/2023
RW16AZ0GA1CM	600A Robotic W/C Torch, 600Amp 22 Deg Neck, 6ft, HD TOUGH LOCK®, .035in (0.9mm) - Steel Miller®	9/29/2023
RW16AZ0WA5CM	600A Robotic W/C Torch, 600Amp 22 Deg Neck, 14ft, .035in (0.9mm) - Steel Miller®	9/29/2023
RW16AZ1CA1CF	600A Robotic W/C Torch, 600Amp 22 Deg Neck, Wire Brake, 4ft, HD TOUGH LOCK®, .035in (0.9mm) - Steel Froniu	9/29/2023
RW16AZ1EA1CM	600A Robotic W/C Torch, 600Amp 22 Deg Neck, Wire Brake, 5 ft, HD TOUGH LOCK®, .035in (0.9mm) - Steel Miller	9/29/2023
RW16AZ1KB4CL	600A Robotic W/C Torch, 600Amp 22 Deg Neck, Wire Brake, 7.5ft, HD Extend Life, .035in (0.9mm) - Steel Lincoln®	9/29/2023
RW16AZ1YA4CM	600A Robotic W/C Torch, 600Amp 22 Deg Neck, Wire Brake, 15ft, HD Extend Life, .035in (0.9mm) - Steel Miller®	9/29/2023
RW16BZ0CA1EL	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 4ft, HD TOUGH LOCK®, .045in (1.2mm) - Steel Lincoln®	9/29/2023
RW16BZ0CA1GM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 4ft, HD TOUGH LOCK®, .052in (1.3mm) - Steel Miller®	9/29/2023

RW16BZ0DA1EM	600A ROBOTIC W/C TORCH	9/29/2023
RW16BZ0DB1GL	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 4.5ft, HD TOUGH LOCK®, .052in (1.3mm) - Steel Lincoln®	9/29/2023
RW16BZ0DB5GD	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 4.5ft, .052in (1.3mm) - Steel OTC	9/29/2023
RW16BZ0EA1FM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 5 ft, HD TOUGH LOCK®, 3/64in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ0EB1JM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 5 ft, HD TOUGH LOCK®, 1/16in (1.6mm) - Steel Miller®	9/29/2023
RW16BZ0EB4CL	600A ROBOTIC W/C TORCH	9/29/2023
RW16BZ0EB4GL	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 5 ft, HD Extend Life, .052in (1.3mm) - Steel Lincoln®	9/29/2023
RW16BZ0GA1EM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 6ft, HD TOUGH LOCK®, .045in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ0HA1JM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 6.5ft, HD TOUGH LOCK®, 1/16in (1.6mm) - Steel Miller®	9/29/2023
RW16BZ0HB1GM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 6.5ft, HD TOUGH LOCK®, .052in (1.3mm) - Steel Miller®	9/29/2023
RW16BZ0NA1EM	600A ROBOTIC W/C TORCH	9/29/2023
RW16BZ0PA1EM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 9ft, HD TOUGH LOCK®, .045in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ0RA1EM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, 10ft, HD TOUGH LOCK®, .045in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ1EA5GM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, Wire Brake, 5 ft, .052in (1.3mm) - Steel Miller®	9/29/2023
RW16BZ1GA5GL	600A ROBOTIC W/C TORCH	9/29/2023
RW16BZ1GB1EM	600A ROBOTIC W/C TORCH	9/29/2023
RW16BZ1GB4EM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, Wire Brake, 6ft, HD Extend Life, .045in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ1GB5EF	600A Robotic W/C Torch, 600Amp 45 Deg Neck, Wire Brake, 6ft, .045in (1.2mm) - Steel Fronius®	9/29/2023
RW16BZ1JB5EM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, Wire Brake, 7ft, .045in (1.2mm) - Steel Miller®	9/29/2023
RW16BZ1YA1JM	600A Robotic W/C Torch, 600Amp 45 Deg Neck, Wire Brake, 15ft, HD TOUGH LOCK®, 1/16in (1.6mm) - Steel Miller	9/29/2023
RW16CZ0CA1CM	600A Robotic W/C Torch, 600Amp 180 Deg Neck, 4ft, HD TOUGH LOCK®, .035in (0.9mm) - Steel Miller®	9/29/2023
RW16CZ0GA1CM	600A ROBOTIC W/C TORCH	9/29/2023
RW16CZ0HA1CM	600A Robotic W/C Torch, 600Amp 180 Deg Neck, 6.5ft, HD TOUGH LOCK®, .035in (0.9mm) - Steel Miller®	9/29/2023
S3015M15KMC	300A,BTB MIG Gun,15'(4.57m),.039"(1.0mm),Miller®,Conv	9/29/2023
S3015TE5DMC	300A,BTB MIG Gun,15'(4.57m),.023"(0.6mm),Miller®,Conv	9/29/2023
S3015TE5KSC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S3015TE7AMC	300A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Tweco® 4,Conv	9/29/2023
S4015GH5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S4015GI5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Lincoln®,Conv	9/29/2023
S4015TE5KLC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S4015TE5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S4015TH5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S4015TI5KMC	400A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S5010GE5LMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S5015GC5KMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,QLL	9/29/2023
S5015GE1LMC	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S5015GE5LTC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S5015GH5LMC	500A,BTB MIG Gun,10'(3.05m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S5015GH5LMQ	500A,BTB MIG Gun,15'(4.57m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S5015GI5KMC	500A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
S5020KE5LMC	500A,BTB MIG Gun,20'(6.10m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S6010GE1KMC	600A,BTB MIG Gun,25'(7.63m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6010GE5MMC	600A,BTB MIG Gun,20'(6.10m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6010GI5MSC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Miller®,Conv	9/29/2023
S6010HH8NMC	600A,BTB MIG Gun,25'(7.63m),7/64"(2.8mm),Miller®,Conv	9/29/2023
S6015GI5LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S6015GI8MBC	600A,BTB MIG Gun,10'(3.05m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6015GI8MMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Miller®,Conv	9/29/2023
S6015GI8NMC	600A,BTB MIG Gun,10'(3.05m),7/64"(2.8mm),Tweco® 4,Conv	9/29/2023
S6015GR5LMC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Miller®,Conv	9/29/2023
S6015GV5NMC	600A,BTB MIG Gun,10'(3.05m),5/64"(2.0mm),Miller®,Conv	9/29/2023
S6015GV7LSC	600A,BTB MIG Gun,15'(4.57m),3/32"(2.4mm),Tweco® 4,Conv	9/29/2023
S6015HF5NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6020KE5NMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6025GU8MMC	600A,BTB MIG Gun,15'(4.57m),1/8"(3.2mm),Miller®,Conv	9/29/2023
S6025KE5NMC	600A,BTB MIG Gun,15'(4.57m),7/64"(2.8mm),Bernard®,Conv	9/29/2023
TA1C356GA3DL	TOUGH GUN® TA3 Robotic A/C Torch,, COMAU SMART5 ARC6,, Clutch, Air Blast, Wire Brake,, 401-48-62, 22 Deg Neck,, SD TOUGH LOCK®, 1.0in (1	9/29/2023
TA1F153EE3DL	TOUGH GUN® TA3 Robotic A/C Torch,, FANUC 120ID, Solid,, 401-42-50,, 45 Deg Long Neck,, SD TOUGH LOCK®, 1.0in (1	9/29/2023
TA1F153FA3DL	TOUGH GUN® TA3 Robotic A/C Torch,, FANUC 120ID, Solid,, 401-48-50,, 22 Deg Neck,, SD TOUGH LOCK®, 1.0in (1	9/29/2023
W6010BQ1LM	W-Gun W/C Mig Gun, 15ft, Standard Trigger 45 Deg Medium Neck, Elip 7400 3/32in (2.4mm) - Steel Bernard	9/29/2023
W6015AI5LM	W-Gun W/C Mig Gun, 15ft, Locking Trigger 45 Deg Long Neck Quik Tip 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015AI7LB	W-Gun W/C Mig Gun, 15ft, Standard Trigger 45 Deg Medium Neck, Elip 7400 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015AI7LM	W-Gun W/C Mig Gun, 15ft, Standard Trigger 30 Deg Long Neck, Elip 7400 5/64in (2.0mm) - Steel Miller®	9/29/2023
W6015AP7KM	W-Gun W/C Mig Gun, 15ft, Locking Trigger 60 Deg Long Neck Elip 1500 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015AQ7LB	W-Gun W/C Mig Gun, 15ft, Standard Trigger 45 Deg Long Neck Elip 7400 3/32in (2.4mm) - Steel Bernard	9/29/2023
W6015AR1LM	W-Gun W/C Mig Gun, 15ft, Locking Trigger 30 Deg Long Neck, Quik Tip 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015BI7LM	W-Gun W/C Mig Gun, 15ft, Standard Trigger 60 Deg Long Neck Elip 1500 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015BP5LM	W-Gun W/C Mig Gun, 15ft, Standard Trigger 45 Deg Medium Neck, Quik Tip 3/32in (2.4mm) - Steel Miller®	9/29/2023
W6015BQ5LM	W-Gun W/C Mig Gun, 10ft, Locking Trigger 45 Deg Long Neck Elip 1500 3/32in (2.4mm) - Steel Miller®	9/29/2023

W6015BQ5LS  
W6015BR1LM

W-Gun W/C Mig Gun, 15ft, Locking Trigger 45 Deg Medium Neck, Elip 7400 3/32in (2.4mm) - Steel Miller®  
W-Gun W/C Mig Gun, 15ft, Locking Trigger 45 Deg Long Neck Quik Tip 3/32in (2.4mm) - Steel Tweco® 4L

9/29/2023  
9/29/2023